

# Security Screen Door Hardware



**Whitco®**  
SECURING YOUR HOME™

**10 YEAR** MECHANICAL WARRANTY

[whitco.com.au](http://whitco.com.au)



# Contents



## Leichhardt

Sliding Security  
Screen Door Lock

page 1



## Tasman MK2

Security Door Lock

page 3



## Tasman Escape

Security Door Lock

page 5



## Tasman MK3

Security Door Lock

page 7



## Cylinder

Euro Profile Lazy Cam

page 9



## Safety Lock

page 10



## Bass

Sliding Screen Door Latch

page 11



## Screen Door Latch

page 13



## Pneumatic Screen Door Closer MK2

page 14



## Screen Door Hinges

page 15



## Sliding Screen Door Roller

page 17

# Leichhardt Sliding Security Screen Door Lock

## Application/Description

Single & Multi point mortice sliding security door lock

## Features and Specifications

- Suits either Left or Right hand closing sliding doors
- Parrot beak deadlock
- Key deadlock from both sides
- Self latching
- Inside snib
- Key overrides snib operation
- Accepts Whitco Euro profile lazy cam cylinder locks
- Can only be key locked or snibbed when fully latched with striker
- Optional Multi Point kits available for 2 and 3 point applications
- Zinc diecast furniture and locking mechanism
- Steel zinc plated cover plate


Available in Display and Trade Packs.

## Keying

- Use with Whitco Euro profile lazy cam cylinder locks
- 2 x 5 pin cylinder lock
- 2 x 10 disc cylinder lock



✓ Aluminium



## Ordering

### Display Pack

Standard striker, furniture no cylinder centre lock, screws W8679••

### Trade Pack - Standard

Centre lock furniture, Standard parrot beak bolt and strike, inside snib, no cylinder – Single point lock Mechanism, suits standard 20 mm doors W866717


Furniture with extended lever and snib – Single point lock mechanism, suits 30 mm door thickness W8669••

Furniture, standard Parrot beak bolt & strike, inside snib, no cylinder – to suit multi point kits W8653••


Furniture, snib inside only - mechanism, Standard strike, No cylinder (right hand) W866417  
(left hand) W866517

Dummy Pull set – Internal and external pull W866617

•• Denotes finish. See price list for available pack / finish combinations




Cylinder locking



Snib locking

# Leichhardt Sliding Security Screen Door Lock



## Accessories

### Standard centre lock keeper

Zinc diecast, Zinc plated W868101

### Wideline Keeper

Suits Wideline section / Zinc diecast, Zinc plated W866801

### Multi point kit - 3 point

3 point lock kit including rods, two auxiliary locks, keeper & screws, suits door height up to 2040 mm

Above centre line kit W867117

Below centre line kit W867217

### Multi point kit - 2 point

2 point lock kit including rod, auxiliary lock,

Keeper and screws, 1 mm W867317

Suitable for doors accessing pool area. Where centre lock is at least 1,500 mm above Floor

## Standard Finishes

Brown 13	DP	TP
White 16	DP	TP
Black 17	DP	TP
Primrose 19		TP
Magnolia 24		TP

## Non Standard Finishes

Other polyester powder coat finishes available on application.

•• Denotes finish. See price list for available pack / finish combinations



# Tasman MK2 Security Door Lock

## Application/Description

Single or Multi point hinged security or screen door lock.

## Features and Specifications

- Contemporary styled furniture
- Non handed furniture - suits left-hand and right-hand doors
- Serrated locking bolt provides extra grip against forced entry
- 3 point kits for additional security available
- Fits industry standard cut outs
- Retrofits previous Whitco Tasman lock
- Zinc diecast lock mechanism and furniture
- Easy installation
- Suits either left or right hand opening hinged security and screen doors
- Mortice lock with inside snib
- Key overrides snib
- Automatic latching
- Accepts Whitco Euro profile lazy cam cylinder
- Suit standard 20 mm door thickness
- Stainless steel strikes

Available in Trade Pack only.

## Keying

- Use with Whitco Euro profile lazy cam cylinder locks
- 2 x 5 pin cylinder
- 2 x 10 disc cylinder

☒ Aluminium

☒ Steel



Security Screen




Flyscreen

## Standard Finishes

Brown 13	TP
White 16	TP
Black 17	TP
Gold Spangle 18	TP
Primrose 19	TP

## Non Standard Finishes

Not available in other finishes.




# Tasman MK2 Multi Point Lock Accessory Kits

## Accessories

### Single or Multi point hinged security or screen door lock


#### Standard Multi Point Kit (below centre line kit)

W893117




#### Reversed Multi Point Kit (above centre line kit)

W893217



#### Extra Width Strike (Stainless steel)

W844500



## Ordering

### Trade Pack

Lockbody, standard strike, furniture, screws, and no cylinder W8921••

### Accessories

Standard Multi Point Kit Auxiliary Locks, Rods, Standard Strikes W893117

Reversed Multi Point Kit Auxiliary Locks, Rods, Standard Strikes W893217

Extra Width Strike W844500

•• Denotes finish. See price list for available pack/finish combinations

# Tasman Escape Security Door Lock

## Application / Description

Emergency escape hinged security or screen door lock.  
Free to exit at all times.

## Features and Specifications

The lock status indicator positioned above the cylinder provides visual indication of the lock's status. In the vertical position the indicator shows that the Tasman Escape is unlocked. In the 45 position the indicator shows that the Tasman Escape is locked from the outside.

- Easy installation with pre-assembled handles
- Patented anti-jimmy serrated locking bolt
- Fits industry standard cut outs
- Suits standard 20 mm door thickness
- Retrofits previous Whitco Tasman Lock
- Suits either left or right hand opening hinged security and screen doors
- Automatic latching
- Contemporary styled handles
- Stainless steel strike
- High performance lock conforms to the relevant requirements of Australian Standards AS4145.2 - 2008 to physical security level S7 and durability level D8
- Successfully tested on security screen doors in accordance with Australian Standard AS5039 - 2003: Security Screen Doors and Security Window Grills and AS5041 - 2003: Methods of Test
- Available in single point locking only

Available in Trade Pack only.

## Keying


- Use with Whitco euro profile lazy cam cylinder locks
- 2 x 5 pin non handed cylinder and turnknob




☒ Aluminium

☒ Steel

  
Security Screen

  
Flyscreen



## Standard Finishes

Silver 11	TP
Brown 13	TP
White 16	TP
Black 17	TP
Gold Spangle 18	TP
Primrose 19	TP

## Non Standard Finishes


Other polyester powder coat finishes available on application.

# Tasman Escape Security Door Lock

## Accessories


**Security Door Lock Guard**  
(Black)  
(Natural)

**W809017**  
**W809000**



**Non Handed Cylinder and Turnknob**  
(KD, Bright Chrome)  
(2 X KA, Bright Chrome)

**W841500**  
**W841600**



## Ordering

### Trade Pack

Lockbody, standard strike, furniture, screws, and no cylinder	W8070••
---	---------

### Accessories

Security Door Lock Guard (Natural)	W809000
Security Door Lock Guard (Black)	W809017
Non Handed Cylinder and Turnknob, 2 x 5 pin (KD, Bright Chrome)	W841500
Non Handed Cylinder and Turnknob, 2 x 5 pin (2 x KA, Bright Chrome)	W841600

•• Denotes finish. See price list for available pack/finish combinations



# Tasman MK3 Security Door Lock

## Application / Description

Single or Multi point hinged security or screen door lock.

## Features and Specifications

### DUALSELECT

- DualSelect offers safety and security for all occupants by giving a choice of selecting privacy-lock or deadlock when exiting the home. Turning the key to the first selection engages the privacy-lock, which offers security from the outside whilst allowing occupants inside to safely exit using the internal privacy snib. The second selection engages the deadlock, which provides security, but requires the key to unlock the door from inside and outside
- Internal padlock symbol denotes door is in deadlock mode
- Contemporary styled furniture with pre-assembled handles and snib
- Patented anti-jimmy extra wide serrated locking bolt

### S7 SECURITY

### D8 DURABILITY

- High performance lock meets or exceeds relevant requirements of Australian Standard AS 4145.2-2008 to Level S7 and D8
- Successfully tested on security screen doors in accordance with Australian Standard AS 5039-2003: Security Screen Doors and Security Window Grilles and AS 5041-2003: Methods of test
- Patentable features for centre and auxiliary locks
- Fits industry standard cut outs
- Retrofits previous Whitco Tasman lock
- Zinc diecast lock mechanism and furniture
- Easy installation
- Suits either left or right hand opening hinged security and screen doors
- Mortice lock with inside snib
- Key overrides snib
- Automatic latching
- Accepts Whitco Euro profile lazy cam cylinder
- Suit standard 20 mm door thickness
- Stainless steel strikes

Available in Display Pack only.



☒ Aluminium

☒ Steel




Security Screen



Flyscreen

## Keying

- Use with Whitco Euro profile lazy cam cylinder locks
- 2 x 5 pin cylinder
- 2 x 10 disc cylinder




# Tasman MK3 Security Door Lock

## Accessories

### Strike – Centre lock


Standard (Stainless steel)

**W804000**




Strike Packer (Zinc diecast)

**W844100**



### Lock cage

**W841100**



## Ordering

### Display Pack

MK3 Tasman Brown	W801113
MK3 Tasman White	W801116
MK3 Tasman Black	W801117
MK3 Tasman Primrose	W801119

Display Pack includes Standard Strike, Anti-jemmy Strike Kit, Standard Furniture, Cylinder, Spindle, Fixing Screws and Screw Hole Plugs.

# Cylinder – Euro Profile Lazy Cam

## Application / Description

Cylinder to suit Whitco Leichhardt, Tasman and Tasman Escape security screen door locks.

## Features and Specifications

- Available in Bright Chrome
- Double cylinder, C4 key profile
- Brass and zinc diecast construction
- Made to Whitco specifications





Available in Display and Trade Packs.

## Keying

Two Whitco chrome plated brass keys included

Two versions available:

- 2 x 5 pin, C4 key profile cylinder lock, can be keyed alike to other Whitco 5 pin C4 cylinder locks
- 2 x 10 disc, profile cylinder locks



## Standard Finishes

Bright Chrome DP TP

## Non Standard Finishes

Not available in other finishes.

## Ordering

Display Pack Double Cylinder		Turnknob & 5 Pin	
2 x 5 Pin with screw	W840700	Random Keyed Turnknob & 5 Pin / Right Hand	W845500
2 x 10 Disc with screw	W840800	Random Keyed Turnknob & 5 Pin / Left Hand	W845600
Trade Pack 2 x 5 Pin / Double Cylinder		2 Keyed Alike / Turnknob & 5 Pin / Right Hand	
Random Keyed	W841200	2 Keyed Alike / Turnknob & 5 Pin / Left Hand	W845800
2 Keyed Alike	W842200	Random Keyed / Non-handed Turnknob & 5 Pin	W841500
3 Keyed Alike	W842300	2 Keyed Alike / Non-handed Turnknob & 5 Pin	W841600
4 Keyed Alike	W842400	2 x 10 Disc / Double Cylinder	
10 Keyed Alike	W842500	Single Random Keyed	W841400
10 Keyed Alike - Gold Plated	W842502	2 Keyed Alike	W843200
20 Keyed Alike	W842600	3 Keyed Alike	W843300
50 Keyed Alike	W842800	4 Keyed Alike	W843400
Use in		10 Keyed Alike	W843500
Whitco Leichhardt Sliding Security Screen Door Lock		20 Keyed Alike	W843600
Whitco Tasman Hinged Security Screen Door Lock			
Whitco Tasman Escape Hinged Security Screen Door Lock			

# Safety Lock

## Application / Description

Keyed hinged screen door lock.

## Features and Specifications

- Suits either left or right hand opening hinged screen doors – reversible latch bolt to suit inward or outward opening doors
- Surface mounted lock
- Key lock from inside or outside
- Zinc diecast construction
- Suits standard 20 mm door thickness

Available in Display and Trade Packs.

## Keying

- 10 disc integral barrel
- Two Whitco chrome plated brass keys



## Ordering

### Display Pack

Lock and Strike with Screws W8505••

### Trade Pack

Single Pack W850117

•• Denotes finish. Choose required finish from list below, then add to product code.

☒ Aluminium

☒ Timber

 Flyscreen

## Standard Finishes


Brown 13	DP
Black 17	DP TP

## Non Standard Finishes

Not available in other finishes.

## Accessories

No accessories are available for this product.



# Bass Sliding Screen Door Latch

## Application/Description

Sliding screen door latch.

## Features and Specifications

- Suits either Left or Right hand closing sliding doors
- Parrot beak latch
- Surface mounted
- Can be latched from inside or outside
- Slim low stand-off design
- Zinc die cast handle
- Galvanised steel lock plate and strike
- Available without lugs

Available in Trade Pack Only.

## Standard Finishes

Black 17

TP

## Non Standard Finishes

Not available in other finishes.



☒ Aluminium

☒ Timber




Flyscreen


## Ordering

### Trade Pack


Standard strike, standard body, finger plate and outer pull	W821317
Standard strike, standard body and outer pull	W821417
Standard strike, no lugs body and no outer pull	W821717




# Bass Sliding Screen Door Latch




Standard Body **W821517**




No lug body **W821717**




Finger Plate **W822317**




Outer pull with hole



No hole outer pull **W822717**




Dummy body **W824017**  
(Sold in packs of 600)




Snib




Standard strike



Bi-part strike **W822417**



Stegbar strike **W822617**



Jason strike **W822517**

# Screen Door Latch

## Application / Description

Hinged screen door latch.

## Features and Specifications

- Suits either left or right hand opening hinged screen doors
- Surface mounted latch
- Inside snib
- Maximum door thickness 25 mm
- Zinc die cast construction with steel strike

## Ordering

Display Pack W8203••

Trade Pack W8201••

•• Denotes finish. Choose required finish from list below, then add to product code.

Available in Display and Trade Packs.

## Standard Finishes

Silver 11	DP	TP
Brown 13	DP	TP
Black 17	DP	TP

## Non Standard Finishes

Not available in other finishes.

## Accessories

No accessories are available for this product.




☒ Aluminium

☒ Timber



Flyscreen



# Pneumatic Screen Door Closer MK2

## Application / Description

- Hinged screen and security screen doors
- Non Handed suits both LH and RH
- Opening out doors

## Performance

Suitable for screen door or security up to 21 Kgs.

## Features and Specifications

- Smooth pneumatic operation
- Adjustable closing speed
- Hold open bracket
- Tough aluminium body
- UV resistant ABS polymer
- Durability tested beyond 50,000 cycles
- Max opening angle 100Deg
- Piston rod retainer bracket

## Ordering

**Display Pack** W8107••

**Trade Pack** W8105••

•• Denotes finish. Choose required finish from list below, then add to product code.

Available in Display and Trade Packs.

## Standard Finishes

Silver 11	DP	TP
White 16	DP	TP
Black 17	DP	TP
Gold Spangle 18	DP	TP
Primrose 19	DP	TP
Doeskin 23	DP	
Ranch Brown 25	DP	TP
Stone Beige 28		TP
White Birch 41		TP



☒ Aluminium


☒ Timber



Security Screen



Flyscreen



# Screen Door Hinges

## Application / Description

Steel hinges specifically designed for aluminium security screen doors.

## Features and Specifications

- Steel construction with stainless steel fixed pin
- Door leaf sits over lip on edge of door style for added security
- Safety prong version increases door security when closed by making door captive even if pin is removed
- Step-over version with added fixing points

Standard Finishes		
Galvanised 01		TP
Silver 11		TP
Brown 13		TP
Pottery 14		TP
White 16	DP	TP
Black 17	DP	TP
Gold Spangle 18		TP
Primrose 19	DP	TP
Hawthorn Green 20		TP
Doeskin 23		TP
Magnolia 24		TP
Stone Beige 28		TP
White Birch 41		TP

## Non Standard Finishes

Other finishes available on application.




Aluminium




Security Screen


# Screen Door Hinges




W831411



W831611



W831817



W831501

## Ordering

### Trade Pack

Steel Fixed Pin	W8314••
Steel Fixed Pin with Safety Prong	W8316••
Steel Fixed Pin Step Over Version	W831817

### Display Pack

Steel Fixed Pin (pack of 3)	W8312••
-----------------------------	---------

## Accessories

### Packer

Zinc plated 0.8mm steel packer	W831501
--------------------------------	---------

•• Denotes finish. See price list for available pack/ finish combinations

# Sliding Screen Door Roller

## Application/Description

Sliding Screen and Sliding Security screen doors.

## Features and Specifications

- 'Speed Fit' applicator lugs
- Offset wheel function\*
- Fully adjustable under load
- Spring Loaded
- Large 11mm adjustment
- Adjustable from both sides
- Quick insert rim
- Inner case will not dislodge
- A + B identification for offset applications
- Retrofits existing rollers
- Suits both top and bottom rails

Available in Trade Pack Only.

### Standard Finishes

Black 17

TP

## Non Standard Finishes



Not available in other finishes.

## Accessories

No accessories are available.



☒ Aluminium



### \*Offset Wheel Function

To offset the door in order to reduce scraping or clashing with another door panel simply remove only the roller from the unit, rotate it 180 degrees, then replace it back into the unit. This will offset the panel or door 1mm.

**Note.** If the offset is incorrectly placed remove the entire unit, rotate it 180 degrees and then replace the entire unit.

### Ordering

#### Trade Pack

Spring Loaded

W862600



## Whitco®

Whitco protects millions of Australian homes and offers the largest range of security and hardware products for residential doors and windows in Australia. With our proud heritage, and by offering a wide variety of locks at affordable prices, Whitco has become one of Australia's most trusted brands.

The Whitco brand is an integral part of ASSA ABLOY Australia Pty Limited, the market leader in the lock and security products industry in Australia.

## ASSA ABLOY

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

ASSA ABLOY is represented in all major regions, in both mature and emerging markets, with leading positions in Australia, Europe and North America.

As the world's leading lock group, ASSA ABLOY offers a more complete product range of door opening solutions than any other company in the market.

**Australia**  
1300 LOCK UP (1300 562 587)  
[whitco.com.au](http://whitco.com.au)

**New Zealand**  
Telephone +64 94157111  
[assaabloy.co.nz](http://assaabloy.co.nz)

**ASSA ABLOY Australia Pty Ltd**  
235 Huntingdale Road  
Oakleigh, Victoria, 3166  
Australia

[info.au@assaabloy.com](mailto:info.au@assaabloy.com)  
[assaabloy.com.au](http://assaabloy.com.au)

**ASSA ABLOY New Zealand Ltd**  
6 Armstrong Road  
Albany, North Shore City, 0632  
New Zealand

[info.nz@assaabloy.com](mailto:info.nz@assaabloy.com)  
[assaabloy.co.nz](http://assaabloy.co.nz)

An ASSA ABLOY Group brand

**Disclaimer**  
Whilst every effort has been made to ensure that the information contained in this brochure is accurate at the time of publication, ASSA ABLOY Australia Pty Limited ("ASSA ABLOY") recommends that you consult ASSA ABLOY or its agents prior to placing an order to ascertain current information on specific products, as ASSA ABLOY reserves the right to make any changes without notice. ASSA ABLOY will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the brochure or arising from the use or application of the information contained herein.